

KENWOOD

TK-272G/372G, TK373G, TK3100, Pro Talk XLS, TK-3131, Free Talk XLS,
TK259/359, TK-260G/360G, 270G/370G, TK2100/3100, 2160/3160/3101
TK2102/3102, TK2170/3170/3173, TK2200/3200, TK3201

2.5/3.5mm Right Angle Connector



PART NUMBER	DESCRIPTION
-------------	-------------

SURVEILLANCE KITS	
V1-10269	1 Wire Earphone Kit Black (Receive only no transmit)
V1-10268	1 Wire Earphone Kit Beige (Receive only no transmit)
V1-10619	1 Wire Earphone Kit with coil cord, Black
V1-B22KA131	2 Wire Earbud Black
V1-10267	2 Wire Palm Microphone Kit Black
V1-10266	2 Wire Palm Microphone Kit Beige
V1-10339	2 Wire Palm Microphone Kit With Heavy Duty Cable, Black
V1-10265	3 Wire Mini Lapel Microphone Kit Black
V1-10264	3 Wire Mini Lapel Microphone Kit Beige

EAR INSERT OPTIONS <i>Consult table of contents for additional Ear Insert Options</i>	
C800947	Regular Clear Ear Tip
C100733	Noise Attenuating Plugs (NRR 25dB)
C806573-LM	Flexible Open Ear Inserts Left, Medium
C806573-RM	Flexible Open Ear Inserts Right, Medium

WIRELESS ACCESSORIES FOR USE WITH SURVEILLANCE KITS	
V1-10610	Wireless Ear Receiver used with Flat Pack Inductor or Neckloop (Conventional Version)
V1-10611	Wireless Ear Receiver used with Flat Pack Inductor or Neckloop (Squelched Version)
V1-10471	Flat Pack Inductor with 2 prong jack for use with existing 2 & 3 Wire Kits
V1-10666	28" Universal neck loop
V1-10603	49" Universal neck loop
C819021	Replacement batteries (4) for Wireless Ear Receiver
C101114	Wax Trap (15) and Installation Tool (Replacement Part for Wireless Ear Receiver)

HEADSETS	
V4-EX2KA2	Explorer, lightweight, flexible earloop w/boom mic, quick-disconnect acoustic tube, no PTT
V4-EX2KA5	Explorer, lightweight, flexible earloop, w/ boom mic, quick-disconnect acoustic tube, mini PTT
V4-BA2KA2	Breeze, lightweight, behind-the-head, single spkr, no PTT
V4-BA2KA5	Breeze, lightweight, behind-the-head, single spkr with mini PTT
V4-BA2KA1	Breeze, lightweight, behind-the-head, single spkr with standard PTT
* V4-BA2KA3B	Breeze, lightweight, behind-the-head, single spkr w/std. PTT & 2.5mm pigtail for remote PTT
V4-BH2KA2	Breeze, lightweight, behind-the-head, adjustable headband , single spkr, no PTT
V4-BH2KA5	Breeze, lightweight, behind-the-head, adjustable headband , single spkr, mini PTT
V4-10030	Lightweight Single Speaker Padded Headband no PTT
V4-10055	Lightweight Single Speaker Padded Headband with standard PTT
V4-HC2KA5	Hurricane, lightweight, dual spkr, 21dB reduction, behind-the-head, with mini PTT
V4-NR2KA1	Ranger Single Speaker behind-the-head with standard PTT
V4-10018	Over-the-head Dual Speaker Heavy Duty with standard PTT
V4-10019	Behind-the-Head Dual Speaker Heavy Duty with standard PTT
V4-10413	ClearTRAK Over-the-Head Dual Speaker Extreme Noise with Earcup PTT
V4-10025	ClearTRAK Behind-the-Head Dual Speaker Extreme Noise with Earcup PTT

KENWOOD

TK-272G/372G, TK373G, TK3100, Pro Talk XLS, TK-3131, Free Talk XLS,
TK259/359, TK-260G/360G, 270G/370G, TK2100/3100, 2160/3160/3101
TK2102/3102, TK2170/3170/3173, TK2200/3200, TK3201

2.5/3.5mm Right Angle Connector



PART NUMBER	DESCRIPTION
-------------	-------------

* REMOTE PTT ACCESSORIES FOR BREEZE HEADSETS WITH 2.5MM JACK

V1-10513	Ring PTT with 2.5mm right angle plug, 5' straight cable
V1-10519	80mm Round Body PTT with 2.5mm right angle plug, coil cord

SPEAKER MICROPHONES

V2-C2KA11	Legacy Speaker Microphone with 2.5mm earphone jack
V2-L2KA11	Profile Speaker Microphone with 2.5mm earphone jack
V2-10030	Evolution Speaker Mic with Coil cord, volume control and 2.5mm earphone jack
V2-S2KA11111	Storm Speaker Mic with Coil cord, volume control and 2.5mm earphone jack

EARPHONE KITS FOR USE WITH EVOLUTION, PROFILE & STORM REMOTE SPEAKER MICROPHONES ONLY

V1-10282	2.5mm straight plug, coil cord (30" extended length), black
V1-10432	2.5mm right angle plug, coil cord (30" extended length), black
V1-EH22R131	2.5mm right angle plug, Earhanger , coil cord (30" extended length), black
V1-EH23R131	3.5mm right angle plug, Earhanger , coil cord (30" extended length), black
V1-10758	3.5mm right angle plug, coil cord (30" extended length) black (Recommend for Kenwood Microphones Only)

EARPHONE KIT FOR USE WITH LEGACY SPEAKER MICROPHONE ONLY

V1-10598	2.5mm straight plug, coil cord (12" length), black
----------	--

TACTICAL, FIRE, & HAZMAT COMMUNICATIONS EQUIPMENT

V1-T12KA137	Throat Microphone with Acoustic Tube & 80 MM PTT
V1-T12KA117	Throat Microphone with Acoustic Tube and Remote Ring PTT
V4-10373	Skull Microphone with Earcup & 80 MM PTT

FOR ADDITIONAL EAR INSERT OPTIONS AND REPLACEMENT PARTS, SEE REPLACEMENT SECTION

ALL INTRINSICALLY SAFE APPROVED PRODUCTS ARE INDICATED BY A "-S" AND IS/ATEX IN DESCRIPTION.

**NOTE: ALL IS/ATEX APPROVED RADIO ACCESSORIES HAVE BEEN DEEMED SAFE FOR USE WITH ANY IS/ATEX APPROVED RADIO.
CONTACT FACTORY FOR ADDITIONAL IS/ATEX RATED PRODUCTS**

KENWOOD

TK190, TK480/481, TK290/390, TK280/380 TK2140/3140, TK2180/3180 TK5400/5210

Assembled Connector



PART NUMBER	DESCRIPTION
-------------	-------------

SURVEILLANCE KITS	
V1-10247*	1 Wire Earphone Kit, 2.5mm jack, 48" cable, Black (Receive only no transmit)
V1-10245*	1 Wire Earphone Kit, 2.5mm jack, 48" cable, Beige (Receive only no transmit)
V1-10291*	1 Wire Earphone Kit, 2.5mm jack, 30" cable, Black (Receive only no transmit)
V1-10695	2 Wire Palm Microphone Kit Black
V1-10355	2 Wire Palm Microphone Kit With Heavy Duty Cable, Black
V1-10354	2 Wire Palm Microphone Kit Beige
V1-10357	3 Wire Mini Lapel Microphone Kit Black
V1-10356	3 Wire Mini Lapel Microphone Kit Beige
V1-10430	*Adapter required with use of 1 Wire Earphone Kits above

EAR INSERT OPTIONS <i>Consult table of contents for additional Ear Insert Options</i>	
C800947	Regular Clear Ear Tip
C100733	Noise Attenuating Plugs (NRR 25dB)
C806573-LM	Flexible Open Ear Inserts Left, Medium
C806573-RM	Flexible Open Ear Inserts Right, Medium

WIRELESS ACCESSORIES FOR USE WITH SURVEILLANCE KITS	
V1-10610	Wireless Ear Receiver used with Flat Pack Inductor or Neckloop (Conventional Version)
V1-10611	Wireless Ear Receiver used with Flat Pack Inductor or Neckloop (Squelched Version)
V1-10471	Flat Pack Inductor with 2 prong jack for use with existing 2 & 3 Wire Kits
V1-10666	28" Universal neck loop
V1-10603	49" Universal neck loop
C819021	Replacement batteries (4) for Wireless Ear Receiver
C101114	Wax Trap (15) and Installation Tool (Replacement Part for Wireless Ear Receiver)

HEADSETS	
V4-EX2KB1	Explorer, lightweight, flexible earloop, w/ boom mic, quick-disconnect acoustic tube, Std. PTT
V4-BA2KB1	Breeze, lightweight, behind-the-head, single spkr with standard PTT
* V4-BA2KB3B	Breeze, lightweight, behind-the-head, single spkr w/std. PTT & 2.5mm pigtail for remote PTT
V4-10076	Lightweight Single Speaker Padded Headband with standard PTT
V4-HC2KB1	Hurricane, lightweight, dual spkr, 21dB reduction, behind-the-head, with Std. PTT
V4-HC2KB1-S	Hurricane, lightweight, dual spkr, 21dB reduction, behind-the-head, with Std. PTT-IS/ATEX APPROVED
* V4-HC2KB3B	Hurricane, lightweight, dual spkr, 21dB reduction, behind-the-head, w/Std. PTT & 2.5mm pigtail for remote PTT
V4-HC2KB3B-S	Hurricane, lightweight, dual spkr, 21dB reduction, behind-the-head, w/Std. PTT & 2.5mm pigtail for remote PTT-IS/ATEX APPROVED
*V4-HE2KB3B	Hurricane with Extreme Noise Canceling mic, lightweight, dual spkr, 21dB reduction, behind-the-head, w/ Std. PTT & 2.5mm pigtail for remote PTT
V4-NR2KB1	Ranger Single Speaker behind-the-head with standard PTT
V4-10080	Over-the-head Dual Speaker Heavy Duty with standard PTT
V4-10080-S	Over-the-head Dual Speaker Heavy Duty with standard PTT-IS/ATEX APPROVED
V4-10081	Behind-the-Head Dual Speaker Heavy Duty with standard PTT
V4-10081-S	Behind-the-Head Dual Speaker Heavy Duty with standard PTT-IS/ATEX APPROVED
V4-10415	ClearTRAK Over-the-Head Dual Speaker Extreme Noise with Earcup PTT
V4-10388	ClearTRAK Behind-the-Head Dual Speaker Extreme Noise with Earcup PTT

* REMOTE PTT ACCESSORIES FOR BREEZE AND HURRICANE HEADSETS WITH 2.5MM JACK	
V1-10513	Ring PTT with 2.5mm right angle plug, 5' straight cable
V1-10519	80mm Round Body PTT with 2.5mm right angle plug, coil cord

KENWOOD

TK190, TK480/481, TK290/390, TK280/380 TK2140/3140, TK2180/3180 TK5400/5210

Assembled Connector



PART NUMBER	DESCRIPTION
-------------	-------------

SPEAKER MICROPHONES

V2-L2KB11	Profile Speaker Microphone with 2.5mm earphone jack
V2-10068	Evolution Speaker Mic with Coil cord, volume control and 2.5mm earphone jack
V2-10068-S	Evolution Speaker Mic with Coil cord, volume control and 2.5mm earphone jack-IS/ATEX APPROVED
V2-10168	Evolution Speaker Mic with Coil cord, Hi for Hi background noise/Lo for low background noise, 2.5mm earphone jack
V2-10168-S	Evolution Speaker Mic with Coil cord, Hi for Hi background noise/Lo for low background noise, 2.5mm earphone jack-IS/ATEX APPROVED
V2-10112	Evolution Speaker Mic with Coiled Coaxial cord, volume control, 2.5mm earphone jack, antenna connector and emergency button (TK290/390 radios only)
V2-10112-S	Evolution Speaker Mic with Coiled Coaxial cord, volume control, 2.5mm earphone jack, antenna connector and emergency button (TK290/390 radios only)-IS/ATEX APPROVED
V2-10241	Evolution Speaker Mic with Coiled Coaxial cord, volume control and 2.5mm earphone jack
V2-10241-S	Evolution Speaker Mic with Coiled Coaxial cord, volume control and 2.5mm earphone jack-IS/ATEX APPROVED
V2-10134-S	Evolution H20 Immersion Rated (IP68), with Coil Cord, volume control-IS/ATEX APPROVED
V2-10240-S	Evolution H20 Immersion Rated (IP68), with Coiled Coaxial Cord and volume control-IS/ATEX APPROVED
V2-G2KB211	Genesis with Coil Cord
V2-G2KB311	Genesis with Coil Cord & Accessory Jack
V2-G2KB321	Genesis with Coil Cord, emergency button and Accessory Jack
V2-S2KB11111	Storm Speaker Mic with Coil cord, volume control and 2.5mm earphone jack
V2-S2KB12211	Storm Speaker Mic with Coiled Coaxial cord, volume control, 2.5mm earphone jack, antenna connector and emergency button (TK290/390 radios only)
V2-S2KB11112	Storm Speaker Mic with Coil cord, volume control, LED option and 2.5mm earphone jack (TK480/481,290/390,280/380,TK190 radios only)
V2-S2KC11112	Storm Speaker Mic with Coil cord, volume control, LED option and 2.5mm earphone jack (TK2140/3140,2180/3180 radios only)

EARPHONE KITS FOR USE WITH EVOLUTION, PROFILE & STORM SPEAKER MICROPHONES ONLY

V1-10282	2.5mm straight plug, coil cord (30" extended length), black
V1-10432	2.5mm right angle plug, coil cord (30" extended length), black
V1-EH22R131	2.5mm right angle plug, Earhanger , coil cord (30" extended length), black
V1-EH23R131	3.5mm right angle plug, Earhanger , coil cord (30" extended length), black
V1-10758	3.5mm right angle plug, coil cord (30" extended length) black (Recommend for Kenwood Microphones Only)

ACCESSORIES FOR GENESIS WITH ACCESSORY JACK OPTION

V1-10750	Earphone with acoustic tube and Hirose Connector
V4-10478	Hurricane, lightweight, dual sprk, 21db reduction, behind-the-head with Hirose Connector
V1-10656	Throat Microphone with Hirose Connector
V4-10421	Ranger Single Speaker, behind-the-head, NO PTT with Hirose Connector
V4-10450	Behind-the-head Dual Speaker Heavy Duty with no PTT
V4-10428	Skull Microphone with Hirose Connector

TACTICAL, FIRE, & HAZMAT COMMUNICATIONS EQUIPMENT

V1-T12KB137	Throat Microphone with Acoustic Tube & 80 MM PTT
V1-T12KB117	Throat Microphone with Acoustic Tube and Remote Ring PTT
V4-10319	Skull Microphone with Earcup & 80 MM PTT

FOR ADDITIONAL EAR INSERT OPTIONS AND REPLACEMENT PARTS, SEE REPLACEMENT SECTION

**ALL INTRINSICALLY SAFE APPROVED PRODUCTS ARE INDICATED BY A "-S" AND IS/ATEX IN DESCRIPTION.
NOTE: ALL IS/ATEX APPROVED RADIO ACCESSORIES HAVE BEEN DEEMED SAFE FOR USE WITH ANY IS/ATEX APPROVED RADIO.
CONTACT FACTORY FOR ADDITIONAL IS/ATEX RATED PRODUCTS**