

Vertex / Yaesu

VX-10 / VX-300 / VXF-1

Single Pin Right Angle Stereo Connector



PART NUMBER	DESCRIPTION
-------------	-------------

SURVEILLANCE KITS	
V1-10393	2 Wire Palm Microphone Kit Black
V1-10394	3 Wire Mini Lapel Microphone Kit Black

EAR INSERT OPTIONS <i>Consult table of contents for additional Ear Insert Options</i>	
C800947	Regular Clear Ear Tip
C100733	Noise Attenuating Plugs (NRR 25dB)
C806573-LM	Flexible Open Ear Inserts Left, Medium
C806573-RM	Flexible Open Ear Inserts Right, Medium

WIRELESS ACCESSORIES FOR USE WITH SURVEILLANCE KITS	
V1-10610	Wireless Ear Receiver used with Flat Pack Inductor or Neckloop (Conventional Version)
V1-10611	Wireless Ear Receiver used with Flat Pack Inductor or Neckloop (Squelched Version)
V1-10471	Flat Pack Inductor with 2 prong jack for use with existing 2 & 3 Wire Kits
V1-10666	28" Universal neck loop
V1-10603	49" Universal neck loop
C819021	Replacement batteries (4) for Wireless Ear Receiver
C101114	Wax Trap (15) and Installation Tool (Replacement Part for Wireless Ear Receiver)

HEADSETS	
V4-EX2VA5	Explorer, lightweight, flexible earloop w/boom mic, quick-disconnect acoustic tube, mini-PTT
V4-BA2VA1	Breeze, lightweight, behind-the-head, single spkr with standard PTT
V4-10114	Lightweight Single Speaker Padded Headband with standard PTT
V4-10118	Over-the-head Dual Speaker Heavy Duty with standard PTT
V4-10117	Behind-the-Head Dual Speaker Heavy Duty with standard PTT
V4-10377	ClearTRAK Behind-the-Head Dual Speaker Extreme Noise with Earcup PTT

SPEAKER MICROPHONES	
V2-C2VA11	Legacy Speaker Microphone with 2.5mm earphone jack
V2-L2VA11	Profile Speaker Microphone with 2.5mm earphone jack
V2-10106	Evolution Speaker Mic with Coil cord, volume control and 2.5mm earphone jack

EARPHONE KITS FOR USE WITH EVOLUTION AND PROFILE REMOTE SPEAKER MICROPHONES ONLY	
V1-10282	2.5mm straight plug, coil cord (30" extended length), black
V1-10432	2.5mm right angle plug, coil cord (30" extended length), black
V1-EH22R131	2.5mm right angle plug, Earhanger , coil cord (30" extended length), black
V1-EH23R131	3.5mm right angle plug, Earhanger , coil cord (30" extended length), black
V1-10305	3.5mm straight plug, coil cord (30" extended length), black
V1-10433	3.5mm right angle plug, coil cord (30" extended length) black

EARPHONE KIT FOR USE WITH LEGACY SPEAKER MICROPHONE ONLY	
V1-10598	2.5mm straight plug Coil Cord (12" length), black

FOR ADDITIONAL EAR INSERT OPTIONS AND REPLACEMENT PARTS, SEE REPLACEMENT SECTION

Vertex / Yaesu

VX-310

2.5mm/3.5mm Right Angle Connector



PART NUMBER	DESCRIPTION
-------------	-------------

SURVEILLANCE KITS

V1-10671	2 Wire Palm Microphone Kit Black
V1-10672	3 Wire Mini Lapel Microphone Kit Black

EAR INSERT OPTION *Consult table of contents for additional Ear Insert Options*

C800947	Regular Clear Ear Tip
C100733	Noise Attenuating Plugs (NRR 25dB)
C806573-LM	Flexible Open Ear Inserts Left, Medium
C806573-RM	Flexible Open Ear Inserts Right, Medium

WIRELESS ACCESSORIES FOR USE WITH SURVEILLANCE KITS

V1-10610	Wireless Ear Receiver used with Flat Pack Inductor or Neckloop (Conventional Version)
V1-10611	Wireless Ear Receiver used with Flat Pack Inductor or Neckloop (Squelched Version)
V1-10471	Flat Pack Inductor with 2 prong jack for use with existing 2 & 3 Wire Kits
V1-10666	28" Universal neck loop
V1-10603	49" Universal neck loop
C819021	Replacement batteries (4) for Wireless Ear Receiver
C101114	Wax Trap (15) and Installation Tool (Replacement Part for Wireless Ear Receiver)

HEADSETS

V4-BA2VG1	Breeze, lightweight, behind-the-head, single spkr with standard PTT
V4-HC2VG5	Hurricane, lightweight, dual spkr, 21dB reduction, behind-the-head, with mini PTT

SPEAKER MICROPHONES

V2-10242	Evolution Speaker Mic with Coil cord, volume control and 2.5mm earphone jack
----------	--

EARPHONE KITS FOR USE WITH EVOLUTION AND PROFILE REMOTE SPEAKER MICROPHONES ONLY

V1-10282	2.5mm straight plug, coil cord (30" extended length), black
V1-10432	2.5mm right angle plug, coil cord (30" extended length), black
V1-EH22R131	2.5mm right angle plug, Earhanger , coil cord (30" extended length), black
V1-10305	3.5mm straight plug, coil cord (30" extended length), black
V1-10433	3.5mm right angle plug, coil cord (30" extended length) black

FOR ADDITIONAL EAR INSERT OPTIONS AND REPLACEMENT PARTS, SEE REPLACEMENT SECTION

Vertex / Yaesu

VX-131 / VX-160 / VX-180 / VX-210 / VX-210A / VX-410 / VX-420 / VX-417

3.5MM Right Angle Connector with 1 Locking Screw



PART NUMBER	DESCRIPTION
-------------	-------------

SURVEILLANCE KITS	
V1-10654	1 Wire Earphone Kit Black (Receive only no transmit)
V1-10617	2 Wire Palm Microphone Kit Black
V1-10727	2 Wire Palm Microphone Kit Beige
V1-10618	3 Wire Mini Lapel Microphone Kit Black
V1-10736	3 Wire Mini Lapel Microphone Kit Beige

EAR INSERT OPTIONS <i>Consult table of contents for additional Ear Insert Options</i>	
C800947	Regular Clear Ear Tip
C100733	Noise Attenuating Plugs (NRR 25dB)
C806573-LM	Flexible Open Ear Inserts Left, Medium
C806573-RM	Flexible Open Ear Inserts Right, Medium

WIRELESS ACCESSORIES FOR USE WITH SURVEILLANCE KITS	
V1-10610	Wireless Ear Receiver used with Flat Pack Inductor or Neckloop (Conventional Version)
V1-10611	Wireless Ear Receiver used with Flat Pack Inductor or Neckloop (Squelched Version)
V1-10471	Flat Pack Inductor with 2 prong jack for use with existing 2 & 3 Wire Kits
V1-10666	28" Universal neck loop
V1-10603	49" Universal neck loop
C819021	Replacement batteries (4) for Wireless Ear Receiver
C101114	Wax Trap (15) and Installation Tool (Replacement Part for Wireless Ear Receiver)

HEADSETS	
V4-EX2VD5	Explorer, lightweight, flexible earloop, w/ boom mic, quick-disconnect acoustic tube, mini PTT
V4-BA2VD1	Breeze, lightweight, behind-the-head, single spkr with standard PTT
* V4-BA2VD3B	Breeze, lightweight, behind-the-head, single spkr w/std. PTT & 2.5mm pigtail for remote PTT
V4-10407	Lightweight Single Speaker Padded Headband with standard PTT
V4-HC2VD5	Hurricane, lightweight, dual spkr, 21dB reduction, behind-the-head, with mini PTT
V4-HE2VD5	Hurricane, lightweight, dual spkr, 21dB reduction, behind-the-head, with mini PTT & Extreme Noise Microphone
V4-NR2VD1	Ranger Single Speaker behind-the-head with standard PTT
V4-10404	Over-the-head Dual Speaker Heavy Duty with standard PTT
V4-10405	Behind-the-Head Dual Speaker Heavy Duty with standard PTT
V4-10406	ClearTRAK Behind-the-Head Dual Speaker Extreme Noise with Earcup PTT

* REMOTE PTT ACCESSORIES FOR BREEZE HEADSETS WITH 2.5MM JACK	
V1-10513	Ring PTT with 2.5mm right angle plug, 5' straight cable
V1-10519	80mm Round Body PTT with 2.5mm right angle plug, coil cord

SPEAKER MICROPHONES	
V2-L2VD11	Profile Speaker Microphone with 2.5mm earphone jack
V2-10169	Evolution Speaker Mic with Coil cord, volume control and 2.5mm earphone jack
V2-S2VD11111	Storm Speaker Mic with Coil cord, volume control and 2.5mm earphone jack

EARPHONE KITS FOR USE WITH EVOLUTION, PROFILE & STORM REMOTE SPEAKER MICROPHONES ONLY	
V1-10282	2.5mm straight plug, coil cord (30" extended length), black
V1-10432	2.5mm right angle plug, coil cord (30" extended length), black
V1-EH22R131	2.5mm right angle plug, Earhanger , coil cord (30" extended length), black
V1-EH23R131	3.5mm right angle plug, Earhanger , coil cord (30" extended length), black
V1-10305	3.5mm straight plug, coil cord (30" extended length), black
V1-10433	3.5mm right angle plug, coil cord (30" extended length) black

FOR ADDITIONAL EAR INSERT OPTIONS AND REPLACEMENT PARTS, SEE REPLACEMENT SECTION

Vertex

VX-200 / VX-500 / VX-510V / VX-510L

2.5mm/3.5mm Right Angle Connector



PART NUMBER	DESCRIPTION
-------------	-------------

SURVEILLANCE KITS	
V1-10401	2 Wire Palm Microphone Kit Black
V1-10402	3 Wire Mini Lapel Microphone Kit Black

EAR INSERT OPTIONS <i>Consult table of contents for additional Ear Insert Options</i>	
C800947	Regular Clear Ear Tip
C100733	Noise Attenuating Plugs (NRR 25dB)
C806573-LM	Flexible Open Ear Inserts Left, Medium
C806573-RM	Flexible Open Ear Inserts Right, Medium

WIRELESS ACCESSORIES FOR USE WITH SURVEILLANCE KITS	
V1-10610	Wireless Ear Receiver used with Flat Pack Inductor or Neckloop (Conventional Version)
V1-10611	Wireless Ear Receiver used with Flat Pack Inductor or Neckloop (Squelched Version)
V1-10471	Flat Pack Inductor with 2 prong jack for use with existing 2 & 3 Wire Kits
V1-10666	28" Universal neck loop
V1-10603	49" Universal neck loop
C819021	Replacement batteries (4) for Wireless Ear Receiver
C101114	Wax Trap (15) and Installation Tool (Replacement Part for Wireless Ear Receiver)

HEADSETS	
V4-BA2VB1	Breeze, lightweight, behind-the-head, single spkr with standard PTT
V4-10130	Lightweight Single Speaker Padded Headband with standard PTT
V4-10200	Over-the-head Dual Speaker Heavy Duty with standard PTT
V4-10201	Behind-the-Head Dual Speaker Heavy Duty with standard PTT

SPEAKER MICROPHONES	
V2-10086	Evolution Speaker Mic with Coil cord, volume control and 2.5mm earphone jack

EARPHONE KITS FOR USE WITH EVOLUTION AND PROFILE REMOTE SPEAKER MICROPHONES ONLY	
V1-10282	2.5mm straight plug, coil cord (30" extended length), black
V1-10432	2.5mm right angle plug, coil cord (30" extended length), black
V1-EH22R131	2.5mm right angle plug, Earhanger , coil cord (30" extended length), black
V1-EH23R132	3.5mm right angle plug, Earhanger , coil cord (30" extended length), black
V1-10305	3.5mm straight plug, coil cord (30" extended length), black
V1-10433	3.5mm right angle plug, coil cord (30" extended length) black

TACTICAL, FIRE, & HAZMAT COMMUNICATIONS EQUIPMENT	
V1-T12VB117	Throat Microphone with Acoustic Tube & 80 MM PTT

FOR ADDITIONAL EAR INSERT OPTIONS AND REPLACEMENT PARTS, SEE REPLACEMENT SECTION

Vertex

VX-530 and VX-537

Assembled Connector



PART NUMBER	DESCRIPTION
-------------	-------------

SURVEILLANCE KITS	
V1-10754	2 Wire Field Repairable Palm Microphone Kit Black
V1-10770	3 Wire Mini Lapel Microphone Kit Black

EAR INSERT OPTIONS <i>Consult table of contents for additional Ear Insert Options</i>	
C800947	Regular Clear Ear Tip
C100733	Noise Attenuating Plugs (NRR 25dB)
C806573-LM	Flexible Open Ear Inserts Left, Medium
C806573-RM	Flexible Open Ear Inserts Right, Medium

WIRELESS ACCESSORIES FOR USE WITH SURVEILLANCE KITS	
V1-10610	Wireless Ear Receiver used with Flat Pack Inductor or Neckloop (Conventional Version)
V1-10611	Wireless Ear Receiver used with Flat Pack Inductor or Neckloop (Squelched Version)
V1-10471	Flat Pack Inductor with 2 prong jack for use with existing 2 & 3 Wire Kits
V1-10666	28" Universal neck loop
V1-10603	49" Universal neck loop
C819021	Replacement batteries (4) for Wireless Ear Receiver
C101114	Wax Trap (15) and Installation Tool (Replacement Part for Wireless Ear Receiver)

HEADSETS	
V4-BA2VH1	Breeze, lightweight, behind-the-head, single spkr with standard PTT
V4-HC2VH1	Hurricane, lightweight, dual spkr, 21dB reduction, behind-the-head, with Std. PTT
V4-10356	Over-the-head Dual Speaker Heavy Duty with standard PTT
V4-10489	ClearTRAK Behind-the-Head Dual Speaker Extreme Noise with Earcup PTT

SPEAKER MICROPHONES	
V2-L2VH11	Profile Speaker Microphone with 2.5mm earphone jack
V2-10293	Evolution Speaker Mic with Coil cord, volume control and 2.5mm earphone jack

EARPHONE KITS FOR USE WITH EVOLUTION AND PROFILE REMOTE SPEAKER MICROPHONES ONLY	
V1-10282	2.5mm straight plug, coil cord (30" extended length), black
V1-10432	2.5mm right angle plug, coil cord (30" extended length), black
V1-EH22R131	2.5mm right angle plug, Earhanger , coil cord (30" extended length), black
V1-EH23R132	3.5mm right angle plug, Earhanger , coil cord (30" extended length), black
V1-10305	3.5mm straight plug, coil cord (30" extended length), black
V1-10433	3.5mm right angle plug, coil cord (30" extended length) black

FOR ADDITIONAL EAR INSERT OPTIONS AND REPLACEMENT PARTS, SEE REPLACEMENT SECT.

Vertex / Yaesu

VX-600 / VX-800 / VX-900

Assembled Connector



PART NUMBER	DESCRIPTION
-------------	-------------

SURVEILLANCE KITS	
V1-10558	2 Wire Palm Microphone Kit With Heavy Duty Cable Black
V1-10559	3 Wire Mini Lapel Microphone Kit Black

EAR INSERT OPTION <i>Consult table of contents for additional Ear Insert Options</i>	
C800947	Regular Clear Ear Tip
C100733	Noise Attenuating Plugs (NRR 25dB)
C806573-LM	Flexible Open Ear Inserts Left, Medium
C806573-RM	Flexible Open Ear Inserts Right, Medium

WIRELESS ACCESSORIES FOR USE WITH SURVEILLANCE KITS	
V1-10610	Wireless Ear Receiver used with Flat Pack Inductor or Neckloop (Conventional Version)
V1-10611	Wireless Ear Receiver used with Flat Pack Inductor or Neckloop (Squelched Version)
V1-10471	Flat Pack Inductor with 2 prong jack for use with existing 2 & 3 Wire Kits
V1-10666	28" Universal neck loop
V1-10603	49" Universal neck loop
C819021	Replacement batteries (4) for Wireless Ear Receiver
C101114	Wax Trap (15) and Installation Tool (Replacement Part for Wireless Ear Receiver)

HEADSETS	
V4-BA2VF1	Breeze, lightweight, behind-the-head, single spkr with standard PTT
V4-BA2VF3B	Breeze, lightweight, behind-the-head, single spkr w/std. PTT & 2.5mm pigtail for remote PTT
V4-HC2VF1	Hurricane, lightweight, dual spkr, 21dB reduction, behind-the-head, with Std. PTT
V4-NR2VF1	Ranger Single Speaker behind-the-head with standard PTT
V4-10356	Over-the-head Dual Speaker Heavy Duty with standard PTT
V4-10449	ClearTRAK Behind-the-Head Dual Speaker Extreme Noise with Earcup PTT

SPEAKER MICROPHONES	
V2-L2VF111	Profile Speaker Microphone with 2.5mm earphone jack
V2-10167	Evolution Speaker Mic with Coil cord, volume control and 2.5mm earphone jack
V2-G2VF211	Genesis with Coil Cord
V2-G2VF221	Genesis with Coil Cord and Emergency Button
V2-S2VF11111	Storm Speaker Mic with Coil cord, volume control and 2.5mm earphone jack

EARPHONE KITS FOR USE WITH EVOLUTION, PROFILE & STORM SPEAKER MICROPHONES ONLY	
V1-10282	2.5mm straight plug, coil cord (30" extended length), black
V1-10432	2.5mm right angle plug, coil cord (30" extended length), black
V1-EH22R131	2.5mm right angle plug, Earhanger , coil cord (30" extended length), black
V1-EH23R132	3.5mm right angle plug, Earhanger , coil cord (30" extended length), black
V1-10305	3.5mm straight plug, coil cord (30" extended length), black
V1-10433	3.5mm right angle plug, coil cord (30" extended length) black

TACTICAL, FIRE, & HAZMAT COMMUNICATIONS EQUIPMENT	
V1-T12VF137	Throat Microphone with Acoustic Tube & 80 MM PTT

FOR ADDITIONAL EAR INSERT OPTIONS AND REPLACEMENT PARTS, SEE REPLACEMENT SECTION

Vertex / Yaesu

VX-820 / VX-821 / VX-824 / VX-829 / VX-920 / VX-921 / VX-924 / VX-929

PART NUMBER	DESCRIPTION
-------------	-------------

SURVEILLANCE KITS	
V1-10815	2 Wire Palm Microphone Kit With Heavy Duty Cable Black
V1-10816	2 Wire Palm Microphone Kit With Heavy Duty Cable Beige
V1-10817	3 Wire Mini Lapel Microphone Kit Black
V1-10818	3 Wire Mini Lapel Microphone Kit Beige

EAR INSERT OPTIONS <i>Consult table of contents for additional Ear Insert Options</i>	
C800947	Regular Clear Ear Tip
C100733	Noise Attenuating Plugs (NRR 25dB)
C806573-LM	Flexible Open Ear Inserts Left, Medium
C806573-RM	Flexible Open Ear Inserts Right, Medium

WIRELESS ACCESSORIES FOR USE WITH SURVEILLANCE KITS	
V1-10610	Wireless Ear Receiver used with Flat Pack Inductor or Neckloop (Conventional Version)
V1-10611	Wireless Ear Receiver used with Flat Pack Inductor or Neckloop (Squelched Version)
V1-10471	Flat Pack Inductor with 2 prong jack for use with existing 2 & 3 Wire Kits
V1-10666	28" Universal neck loop
V1-10603	49" Universal neck loop
C819021	Replacement batteries (4) for Wireless Ear Receiver
C101114	Wax Trap (15) and Installation Tool (Replacement Part for Wireless Ear Receiver)

HEADSETS	
V4-EX2VJ5	Explorer, lightweight, flexible earloop, w/ boom mic, quick-disconnect acoustic tube, mini PTT
V4-10519	Over-the-head Dual Speaker Heavy Duty with standard PTT

SPEAKER MICROPHONES	
V2-C2VJ111	Legacy Speaker Microphone with 2.5mm earphone jack
V2-L2VJ111	Profile Speaker Microphone with 2.5mm earphone jack
V2-G2VJ211	Genesis with Coil Cord
V2-G2VJ222	Genesis Coiled Coax Cable, Antenna Connector & Emergency Button
V2-G2VJ311	Genesis with Coil Cord and Accessory Jack
V2-G2VJ321	Genesis Coil Cord, Emergency Button & Accessory
V2-S2VJ11111	Storm Speaker Microphone with 2.5mm earphone jack
V2-S2VJ11211	Storm Speaker Mic with Coiled Coaxial cord, volume control, 2.5mm earphone jack and antenna connector
V2-S2VJ12211	Storm Speaker Mic with Coiled Coaxial cord, volume control, 2.5mm earphone jack, emergency button and antenna connector
V2-S2VJ11112	Storm Speaker Microphone with 2.5mm earphone jack and LED option

EARPHONE KITS FOR USE WITH EVOLUTION, PROFILE & STORM SPEAKER MICROPHONES ONLY	
V1-10282	2.5mm straight plug, coil cord (30" extended length), black
V1-10432	2.5mm right angle plug, coil cord (30" extended length), black
V1-EH22R131	2.5mm right angle plug, Earhanger , coil cord (30" extended length), black
V1-EH22R131	3.5mm right angle plug, Earhanger , coil cord (30" extended length), black
V1-10305	3.5mm straight plug, coil cord (30" extended length), black
V1-10433	3.5mm right angle plug, coil cord (30" extended length) black

TACTICAL, FIRE, & HAZMAT COMMUNICATIONS EQUIPMENT	
V1-10819	Throat Microphone with Acoustic Tube & Ring PTT

FOR ADDITIONAL EAR INSERT OPTIONS AND REPLACEMENT PARTS, SEE REPLACEMENT SECTION