Multiplier Part #	Radio Model	Capacity (mAh)	Volts	Cell Type	Dimensions (Inches HxWxD)	Notes
BENDIX-KING / RELM						
M0105	LPH, LPX, GPH, EPH, EPI, EPU, EPV (gray)	1200	10.0	Ni-Cd	3.15x2.54x1.50	RC, E
M0106	LPH, LPX, GPH, EPH, EPI, EPU, EPV (gray)	2450	13.5	Alkaline	3.31x2.54x1.50	--
M0121	LPH, LPX, GPH, EPH, EPI, EPU, EPV (gray)	600	10.0	Ni-Cd	1.89x2.54x1.50	RC, E
M0125	LPH, LPX, GPH, EPH, EPI, EPU, EPV (gray)	1400	10.0	Ni-Cd	3.15x2.54x1.50	RC, E
M0125-HX	LPH, LPX, GPH, EPH, EPI, EPU, EPV (gray)	2700	10.0	Ni-MH	3.15x2.54x1.50	RC, E
M0193	LPH, LPX, GPH, EPH, EPI, EPU, EPV (black)	1400	10.0	Ni-Cd	3.15x2.54x1.50	RC, E
M0193-HX	LPH, LPX, GPH, EPH, EPI, EPU, EPV (black)	2700	10.0	Ni-MH	3.15x2.54x1.50	RC, E
E.F. JOHNSON						
M8923-HX	5100	4000	7.5	Ni-MH	6.20x2.28x0.65	RC
MBP-196	7540	1100	10.0	Ni-Cd	5.26x2.28x0.67	RC
MBP196H	7540	1650	10.0	Ni-MH	5.26x2.28x0.67	RC
MBP-196HX	7540	1800	10.0	Ni-MH	5.26x2.28x0.67	RC
M/A-COM / ERICSSON						
M191202	LPE 200/400, KPC 300/400, Panther 500P	1700	7.5	Ni-Cd	4.31x2.54x1.34	RC
M191202/2	LPE 200/400, KPC 300/400, Panther 500P	1700	7.5	Ni-Cd	4.31x2.54x1.34	RC,**FM**
M191202-H	LPE 200/400, KPC 300/400, Panther 500P	2700	7.5	Ni-MH	4.31x2.54x1.34	RC
M191203	LPE 200/400, KPC 300/400, Panther 500P	1200	7.5	Ni-Cd	3.71x2.44x0.80	RC
M191203/2	LPE 200/400, KPC 300/400, Panther 500P	1200	7.5	Ni-Cd	3.74x2.54x0.80	RC, **FM**
M191203H	LPE 200/400, KPC 300/400, Panther 500P	2000	7.5	Ni-MH	3.71x2.44x0.80	RC
M191205/2	MPA/MPD/TPX/PLS	1400	7.5	Ni-Cd	2.21x2.57x1.47	RC,**FM**
M191205/4	MPA/MPD/TPX/PLS	1700	7.5	Ni-Cd	3.62x2.57x1.47	RC,**FM**
M191210/3	Jaguar, SPD2000, J-700P	1700	7.5	Ni-Cd	4.63x2.32x0.88	RC
M191210/4	Jaguar, SPD2000, J-700P	2700	7.5	Ni-MH	4.63x2.32x0.88	RC
M191210/5	Jaguar, SPD2000, J-700P	1700	7.5	Ni-Cd	4.63x2.32x0.88	RC,**FM**
M191210/6	Jaguar, SPD2000, J-700P	2700	7.5	Ni-MH	4.63x2.32x0.88	RC,**FM**
M191212/1	EDACS 300P	1100	7.5	Ni-Cd	2.09x2.17x0.70	RC
M191212/2	EDACS 300P	1500	7.5	Ni-Cd	2.09x2.17x0.83	RC
M191212/3	EDACS 300P	1100	7.5	Ni-Cd	2.09x2.17x0.70	RC,**FM**
M191212/4	EDACS 300P	1500	7.5	Ni-Cd	2.09x2.17x0.83	RC,**FM**
M278P2	MRK	1700	7.5	Ni-Cd	3.83x2.87x1.10	RC,**FM**
M4172P1	Porta Mobil II	4500	10.0	Ni-Cd	7.05x3.85x1.30	SC
M4850P7	MPA/MPD/TPX/PLS	1200	7.5	Ni-Cd	2.44x2.59x1.43	RC
M4860P7	MPA/MPD/TPX/PLS	1700	7.5	Ni-Cd	3.90x2.60x1.55	RC
M522G4B	PE/PY/MPE/MVP Series	1100	7.5	Ni-Cd	2.50x1.40x2.35	RC,E
M5293P1	PCS	1400	7.5	Ni-Cd	2.59x2.40x1.46	RC
M5293P2	PCS	1700	7.5	Ni-Cd	3.94x2.40x1.64	RC
M5293P3	PCS (Tall)	1800	7.5	Ni-Cd	3.94x2.40x1.64	RC,**FM**
M5293P5	PCS	1400	7.5	Ni-Cd	2.59x2.40x1.46	RC,**FM**
M5601	Monogram	600	11.25	Ni-Cd	2.46x2.55x1.42	RC
M5603	Monogram	1400	11.25	Ni-Cd	3.70x2.55x1.42	RC
M639G2	MPI 2 watt	600	7.5	Ni-Cd	2.30x2.47x0.78	SC,E
M639G3	MPI 4 watt	600	10.0	Ni-Cd	2.98x2.47x0.78	SC,E
M763G3	MPX/GMV (black)	1200	7.5	Ni-Cd	2.35x2.70x1.50	RC, E
M777G3	MPX/GMV (black)	1400	7.5	Ni-Cd	3.70x2.70X1.50	RC
M838P1	MRK	1100	7.5	Ni-Cd	3.12x2.53x1.09	RC
M838P2	MRK	1200	7.5	Ni-Cd	3.12x2.53x1.09	RC,**FM**
M838P3	MRK	1800	7.5	Ni-Cd	3.83x2.87x1.10	RC
M838P3H	MRK	2800	7.5	Ni-MH	3.83x2.87x1.10	RC
M838P3-LP	MRK **(Non-rechargeable)**	3900	9.0	Primary Lithium	3.83x2.87x1.10	--
MTOPB100	Panther 400P/600P/625P, Cougar 400P/600P/625P	1100	7.5	Ni-Cd	4.45x2.34x0.77	RC
MTOPB100H	Panther 400P/600P/625P, Cougar 400P/600P/625P	1450	7.5	Ni-MH	4.45x2.34x0.77	RC
ICOM						
MBP-196	IC-F3/IC-F4	1100	10.0	Ni-Cd	5.26x2.28x0.67	RC
MBP196H	IC-F3/IC-F4	1650	10.0	Ni-MH	5.26x2.28x0.67	RC
MBP-196HX	IC-F3/IC-F4	1800	10.0	Ni-MH	5.26x2.28x0.67	RC
MBP209	IC-F21S/F21, IC-F40/30 GT/GS	1100	7.5	Ni-Cd	4.55x2.13x0.67	RC
MBP210	IC-F21S/F21, IC-F40/30 GT/GS	1650	7.5	Ni-MH	4.55x2.13x0.67	RC
MCM-3	ICM-11/ICH-18	250	8.4	Ni-Cd	1.63x2.54x1.42	RC
MCM-5	H2, H6, H12, H16T, U2, U12, U16T	600	11.25	Ni-Cd	2.33x2.54x1.42	DC
MCM-7	H/U 16 Series, U2, M5, A2, A20 (Black)	600	13.8	Ni-Cd	3.30x2.54x1.42	DC
MCM-8	H2, H6, H12, H16, U2, U12, U16, M2, M5, M12, A2, A20 (black)	1200	8.8	Ni-Cd	3.30x2.54x1.42	DC
MCM83	ICM-7	700	7.5	Ni-Cd	2.34x1.95x1.30	RC

Notes: RC: Rapid Charge, SC: Standard Charge, DC: Dual Charge, E: Battery Eliminator, FM: Factory Mutual Approved for Intrinsically Safe or Non-Incendive Use.

Multiplier Part #	Radio Model	Capacity (mAh)	Volts	Cell Type	Dimensions (Inches HxWxD)	Notes
KENWOOD						
MKNB-1	TK-100/200/210//300/310	600	11.25	Ni-Cd	3.99x2.37x0.86	RC, E
MKNB3A	TK-210/230/310/330	1200	7.5	Ni-Cd	2.25x2.62x1.42	RC, E
MKNB-4	TK-210/230/310/330	2200	7.5	Ni-Cd	3.99x2.62x1.57	RC, E
MKNB5A	TK-240/340/240D/340D	800	7.5	Ni-Cd	2.30x2.26x1.18	RC
MKNB-6	TK-240/340 Enhanced	1400	7.5	Ni-Cd	4.00x2.38x1.15	RC
MKNB-6A	TK-240D/340D	1600	7.5	Ni-Cd	4.00x2.38x1.15	RC
MKNB-7	TK-240/340 Enhanced	700	12.0	Ni-Cd	3.42x2.27x1.16	RC
MKNB-7A	TK-240D/340D	800	12.0	Ni-Cd	3.42x2.27x1.16	RC
MKNB-9	TK-430/431	1200	7.5	Ni-Cd	2.97x2.28x1.20	RC, E
MKNB-9ALK	TK-430/431	2450	12.0	Alkaline	2.97x2.28x1.20	--
MKNB-12	TK-250/350/353	1200	7.5	Ni-Cd	2.97x2.28x1.20	RC, E
MKNB-12ALK	TK-250/350/353	2450	12.0	Alkaline	2.97x2.28x1.20	--
MKNB-12H	TK-250/350/353	1900	7.5	Ni-MH	2.97x2.28x1.20	RC, E
MKNB-14	TK-260/270/360/370,TK-2100/2100K2,TK-3100/3100K2/3101	600	7.5	Ni-Cd	4.35x2.28x0.72	RC
MKNB-14H	TK-260/270/360/370,TK-2100/2100K2,TK-3100/3100K2/3101	1300	7.5	Ni-MH	4.35x2.23x0.68	RC
MKNB-15	TK-260/260G/270/360/360G//370, TK-2100/3100/3101	1100	7.5	Ni-Cd	4.31x2.28x0.83	RC, E
MKNB-15H	TK-260/260G/270/360/360G//370, TK-2100/3100/3101	1600	7.5	Ni-MH	4.31x2.28x0.83	RC, E
MKNB-15LI	TK-260/260G/270/360/360G//370, TK-2100/3100/3101 **(Non-rechargeable)**	1800	9.0	Primary Lithium	4.31x2.28x0.83	--
MKNB-17	TK-290/390/480/481/280/380	1500	7.5	Ni-Cd	4.35x2.23x0.79	RC, E
MKNB-17H	TK-290/390/480/481/280/380	2000	7.5	Ni-MH	4.35x2.23x0.79	RC, E
MKNB-17LX	TK-290/390/480/481/280/380	1950	7.5	Li-Ion	4.35x2.23x0.79	RC, E
MKNB-29N	TK-2200/3200/2202/3202/2207/3207	1500	7.5	Ni-MH	4.53x2.28x0.71	RC
MKNB-27N	TK-3130	1800	3.6	Ni-MH	2.01x1.80x0.57	RC
MKNB-24L	TK-3140 (Slim)	1800	7.5	Li-Ion	3.95x2.20x0.66	RC
MKNB-24LX	TK-3140/2140	1950	7.5	Li-Ion	3.95x2.20x0.66	RC
MKNB-25A	TK-3140/2140	1200	7.5	Ni-Cd	3.95x2.20x0.89	RC
MKNB-25L	TK-3140/2140	2100	7.5	Li-Ion	3.95x2.20x0.89	RC
MKNB-26N	TK-3140/2140	2000	7.5	Ni-MH	3.95x2.20x0.89	RC
MKNB-31	TK-5210/2180/3180	1700	7.5	Ni-Cd	4.66x2.27x0.94	RC
MKNB-32	TK-5210/2180/3180	2500	7.5	Ni-MH	4.66x2.27x0.94	RC
MKNB-33L	TK-5210/2180/3180	1700	7.5	Li-Ion	4.66x2.27x0.70	RC
MAXON						
M1155	SP2000, SP2550, SP2850	700	10.8	Ni-Cd	2.44x2.55x1.42	RC
M1170	SP2000, SP2550, SP2850	1400	10.8	Ni-Cd	3.70x2.55x1.42	RC
M1170-ALK	SP2000, SP2550, SP2850	4000	9.0	Alkaline	3.70x2.55x1.42	--
MBP4H	APX500(Uniden), Wilson Mini-Com I &II;HH Series 152, 154,156,462,463; Yaesu FT and FTC Series; Force, Maxon CPO510, Regency MCD Series (dark gray)	600	11.25	Ni-Cd	3.40x2.10x0.70	DC
MMPA1200	SL-55, SP-130, SP-140, SP-150	1200	7.5	Ni-Cd	5.59x2.24x0.69	RC
MMPA1400H	SL-55, SP-130, SP-140, SP-150	1400	7.5	Ni-MH	5.59x2.24x0.69	RC
MMPA1800H	SL-55, SP-130, SP-140, SP-150	1800	7.5	Ni-MH	5.59x2.24x0.69	RC
MIDLAND						
M70B08	70-150	1200	7.5	Ni-Cd	1.90x1.97x1.33	SC
M70B12	70-150	1400	7.5	Ni-Cd	3.35x2.51x1.28	SC
M70B16	70-043/70-143/70-243	700	10.0	Ni-Cd	2.32x2.56x1.50	RC,E
M70B19	70-155/70-255	1400	7.5	Ni-Cd	3.77x2.82x1.51	RC
M70B19XT	70-155/70-255	1800	7.5	Ni-Cd	3.77x2.82x1.51	RC
M70B21	70-043/70-143/70-243	1200	10.0	Ni-Cd	3.00x2.58x1.50	RC
M70B26	70-154/70-254	1400	13.75	Ni-Cd	4.38x2.54x1.39	RC
M70B31	70-145/70-245	600	11.25	Ni-Cd	2.44x2.45x1.50	RC
M70B32	70-145/70-245	1000	11.25	Ni-Cd	3.37x2.45x1.50	RC
M70B36	70-045/70-166/70-266	1400	7.5	Ni-Cd	3.28x2.25x1.44	RC
M70B48	70-148	1200	10.0	Ni-Cd	3.07x2.47x1.36	RC
M70B75	70-195/70-295	1400	7.5	Ni-Cd	2.42x2.69x1.41	RC
M70B77	70-195/70-295	1600	7.5	Ni-Cd	2.38x2.55x1.39	RC
MOTOROLA						
M1795	iDEN i50, i55, i85	850	3.6	Li-Ion	2.27x1.40x0.29	RC
M1795X	iDEN i50, i55, i85	1400	3.6	Li-Ion	2.27x1.40x0.47	RC
M4007	XTS-3000	3500	7.5	Ni-MH	6.20x2.28x0.65	RC,E, **FM**
M4326	STX (dark gray)	1300	7.5	Ni-Cd	2.46x2.74x1.40	RC,E
M4327B	STX (dark gray)	1800	7.5	Ni-Cd	3.74x2.74x1.40	RC,E
M4462	MT500 &HT220 Slimline	250	15.0	Ni-Cd	2.76x2.18x0.76	RC
M4463	MT500 &HT220 Omni	600	15.0	Ni-Cd	2.76x2.18x1.25	DC
M4496	CP 200	1100	7.5	Ni-Cd	4.75x2.35x0.97	RC
M4497	CP 200	1800	7.5	Li-Ion	4.75x2.35x0.97	RC
M4500	STX (dark gray)	1800	7.5	Ni-Cd	3.74x2.74x1.40	RC, **FM**
M4538	Saber	1100	7.5	Ni-Cd	3.25x2.88x1.13	RC, **FM**
M4584	HT600/HT800 (light gray)	630	10.0	Ni-Cd	2.31x2.62x1.41	RC, E
M4590A	HT600/HT800 (light gray)	2450	15.0	Alkaline	3.31x2.62x1.41	--

Notes: RC: Rapid Charge, SC: Standard Charge, DC: Dual Charge, E: Battery Eliminator, FM: Factory Mutual Approved for Intrinsically Safe or Non-Incendive Use.

Multiplier Part #	Radio Model	Capacity (mAh)	Volts	Cell Type	Dimensions (Inches HxWxD)	Notes
M4593	Saber	1100	7.5	Ni-Cd	3.25x2.88x1.13	RC,E
M4595	Saber	1800	7.5	Ni-Cd	4.00x2.88x1.13	RC,E
M4595H	Saber	2700	7.5	Ni-MH	4.00x2.88x1.13	RC,E
M4595-LP	Saber **(Non-rechargeable)**	4200	9.0	Primary Lithium	4.00x2.88x1.13	--
M4596	Saber	1800	7.5	Ni-Cd	4.00x2.88x1.13	RC, **FM**
M4822	MT1000/MTX800/MTX900 (dark gray)	630	10.0	Ni-Cd	2.31x2.62x1.40	RC, E
M4851	CP 200	1400	7.5	Ni-MH	4.75x2.35x0.91	RC
M5070A	MT1000/MTX800/MTX900 (dark gray)	2450	15.0	Alkaline	3.31x2.62x1.41	--
M5407	HT50 (light gray)	630	10.0	Ni-Cd	5.51x2.56x0.79	RC
M5414	HT600/HT800 (light gray)	1200	10.0	Ni-Cd	3.31x2.62x1.41	RC
M5414B	HT600/HT800 (light gray)	1300	10.0	Ni-Cd	3.31x2.62x1.41	RC
M5414H	HT600/HT800 (light gray)	1600	10.0	Ni-MH	3.31x2.62x1.41	RC
M5415	HT600/HT800	1200	10.0	Ni-Cd	3.31x2.62x1.41	RC, **FM**
M5433	APCOR High Power (orange case)	4000	13.7	Ni-Cd	3.51x6.23x2.64	SC
M5440	Radius P200/P210	1200	10.0	Ni-MH	3.30x2.61x1.41	RC
M5447	MT1000/MTX800 (dark gray)	1200	10.0	Ni-Cd	3.31x2.62x1.40	RC
M5447B	MT1000/MTX800/MTX900 (dark gray)	1300	10.0	Ni-Cd	3.31x2.62x1.40	RC, E
M5447-H	MT1000/MTX800 (dark gray)	1600	10.0	Ni-MH	3.31x2.62x1.40	RC
M5448	MT1000/MTX800/MTX900 (dark gray)	1200	10.0	Ni-Cd	3.31x2.62x1.40	RC, **FM**
M5451	Radius P100 (black)	1200	10.0	Ni-Cd	5.52x2.57x0.79	RC, E
M5453	HT50 (light gray)	1200	10.0	Ni-Cd	5.51x2.56x0.79	RC
M5521	Radius P200/P210 (black)	1200	10.0	Ni-Cd	3.31x2.62x1.39	RC,E
M5521B	Radius P200/P210 (black)	1300	10.0	Ni-Cd	3.31x2.62x1.39	RC, E
M5521-H	Radius P200/P210 (black)	1600	10.0	Ni-MH	3.31x2.62x1.39	RC,E
M5531	Radius P200/P210 (black)	630	10.0	Ni-Cd	2.04x2.62x1.39	RC, E
M5545	Radius P200/P210 (black)	1200	10.0	Ni-Cd	3.30x2.61x1.41	RC, **FM**
M5860	MX300 Series and RDX	1400	7.5	Ni-Cd	3.70x2.75x1.44	RC,E
M5860A	MX300 Series and RDX	4000	10.5	Alkaline	3.70x2.75x1.44	--
M5860B	MX300 Series and RDX	1800	7.5	Ni-Cd	3.70x2.75x1.44	RC,E
M6899	HT220 Slimline	250	15.0	Ni-Cd	2.76x2.18x0.76	RC
M6900	HT220 Omni	600	15.0	Ni-Cd	2.76x2.18x1.25	RC
M6937AS	HT220 & MT-500 Omni	2450	15.0	Alkaline	2.76x2.18x1.25	--
M7014	Saber	1200	7.5	Ni-MH	3.25x2.88x1.13	RC
M7015	MT1000/MTX800 (dark gray)	1200	10.0	Ni-MH	2.31x2.62x1.40	RC
M7016	HT600 (light gray)	1200	10.0	Ni-MH	2.31x2.62x1.41	RC
M7143	HT1000, MT2000, GP900, GP1200, HT6000, JT1000, Mobius, MTX8000, MTX9000, MTS2000	1200	7.5	Ni-Cd	6.08x2.35x0.69	RC,E
M7143H	HT1000, MT2000, GP900, GP1200, HT6000, JT1000, Mobius, MTX8000, MTX9000, MTS2000	1200	7.5	Ni-MH	6.08x2.35x0.69	RC,E
M7143HX	HT1000, MT2000, GP900, GP1200, HT6000, JT1000, Mobius, MTX8000, MTX9000, MTS2000	1800	7.5	Ni-MH	6.08x2.35x0.69	RC,E
M7144	HT1000, MT2000, GP900, GP1200, HT6000, JT1000, Mobius, MTX8000, MTX9000, MTS2000	1500	7.5	Ni-Cd	6.08x2.35x0.82	RC,E
M7144H	HT1000, MT2000, GP900, GP1200, HT6000, JT1000, Mobius, MTX8000, MTX9000, MTS2000	2100	7.5	Ni-MH	6.08x2.35x0.82	RC,E
M7144-HX	HT1000, MT2000, GP900, GP1200, HT6000, JT1000, Mobius, MTX8000, MTX9000, MTS2000	2700	7.5	Ni-MH	6.08x2.35x0.82	RC,E
M7144-LP	HT1000, MT2000, GP900, GP1200, HT6000, JT1000, Mobius, MTX8000, MTX9000, MTS2000 **(Non-rechargeable)**	4200	9.0	Primary Lithium	6.08x2.35x0.82	--
M7162	EXPO High Capacity	600	7.5	Ni-Cd	2.20x2.56x1.01	RC,E
M7341	HT1000, MT2000, GP900, GP1200, HT6000, JT1000, Mobius, MTX8000, MTX9000, MTS2000	1500	7.5	Ni-Cd	6.08x2.35x0.82	RC, **FM**
M7372	HT1000, MT2000, GP900, GP1200, HT6000, JT1000, Mobius, MTX8000, MTX9000, MTS2000	1200	7.5	Ni-Cd	6.08x2.35x0.69	RC, **FM**
M7394	Visar	1500	7.5	Ni-MH	4.05x2.31x0.86	RC, E
M7395	Visar	1200	7.5	Ni-Cd	4.05x2.31x0.86	RC, E
M7397	Visar	1500	7.5	Ni-MH	4.05x2.31x0.86	RC, **FM**
M7398	Visar	1200	7.5	Ni-Cd	4.05x2.31x0.86	RC, **FM**
M7434	HT90 (light gray)	630	12.5	Ni-Cd	6.33x2.55x0.74	RC, E
M7883A	HT440	2450	15.0	Alkaline	6.33x2.55x0.74	--
M8096	Handie-Com, MH70, MH10	630	12.5	Ni-Cd	5.65x2.50x0.68	RC
M8100	iDEN i280,i370/XL,i470,i600,R300,R370/XL,R470, d700 TETRA	1600	6.25	Ni-MH	4.48x2.43x0.80	RC
M8100B	iDEN i280,i370/XL,i470,i600,R300,R370/XL,R470, d700 TETRA	2000	6.25	Ni-MH	4.48x2.43x0.80	RC
M8148	Radius P110	1200	7.5	Ni-Cd	6.04x2.38x0.71	RC, E
M8148H	Radius P110	1800	7.5	Ni-MH	6.04x2.38x0.71	RC, E
M8251	Saber/Astro	1800	7.5	Ni-MH	3.00x2.56x1.13	RC
M8294	XTS-3000	1700	7.5	Ni-Cd	6.20x2.28x0.65	RC, E
M8294-LP	XTS-3000 **(Non-rechargeable)**	4200	9.0	Primary Lithium	6.20x2.28x0.65	--
M8295	XTS-3000	1700	7.5	Ni-Cd	6.20x2.28x0.65	RC, **FM**
M8299	XTS-3000	1700	7.5	Ni-MH	6.20x2.28x0.65	RC, **FM**
M8308	Radius GP300/LTS2000	650	7.5	Ni-Cd	5.50xx2.30x0.66	RC
M8614	iDEN 1000	1200	3.6	Li-Ion	1.67x2.04x0.53	RC
M8840	MX300 Series and RDX	1400	7.5	Ni-Cd	3.70x2.75x1.44	RC, **FM**
M8841	MX300 Series and RDX	1400	7.5	Ni-Cd	2.41x2.75x1.44	RC, **FM**

Notes: RC: Rapid Charge, SC: Standard Charge, DC: Dual Charge, E: Battery Eliminator, FM: Factory Mutual Approved for Intrinsically Safe or Non-Incendive Use.

Multiplier Part #	Radio Model	Capacity (mAh)	Volts	Cell Type	Dimensions (Inches HxWxD)	Notes
M8923	XTS-3000	2100	7.5	Ni-MH	6.20x2.28x0.65	RC,E
M8923-H	XTS-3000	2700	7.5	Ni-MH	6.20x2.28x0.65	RC,E
M8923-HX	XTS-3000	4000	7.5	Ni-MH	6.20x2.28x0.65	RC,E
M8971B	iDEN i500, i550, i700/CP100/XTN Series	1500	4.8	Ni-MH	4.07x1.12x0.60	RC
M9008	HT750/1250/1550, GP320/340/360/380	1100	7.5	Ni-Cd	4.87x2.20x0.80	RC
M9008H	HT750/1250/1550, GP320/340/360/380	1650	7.5	Ni-MH	4.87x2.20x0.80	RC
M9009	HT750/1250/1550, GP320/340/360/380	1600	7.5	Ni-MH	4.87x2.35x0.87	RC, E
M9009-H	HT750/1250/1550, GP320/340/360/380	2100	7.5	Ni-MH	4.87x2.35x0.87	RC, E
M9009-HX	HT750/1250/1550, GP320/340/360/380	2700	7.5	Ni-MH	4.87x2.35x0.87	RC, E
M9010	HT750/1250/1550, GP320/340/360/380	1600	7.5	Ni-MH	4.87x2.35x0.87	RC, **FM**
M9011	HT750/1250/1550, GP320/340/360/380	1200	7.5	Ni-Cd	4.87x2.35x0.87	RC, **FM**
M9012	HT750/1250/1550, GP320/340/360/380	1400	7.5	Ni-Cd	4.87x2.35x0.87	RC, E
M9012B	HT750/1250/1550, GP320/340/360/380	1700	7.5	Ni-Cd	4.87x2.35x0.87	RC, E
M9012-LP	HT750/1250/1550, GP320/340/360/380 **(non-rechargeable)**	4200	9.0	Primary Lithium	4.87x2.35x0.87	--
M9013	HT750/1250/1550, GP320/340/360/380	1500	7.5	Li-Ion	4.87x2.20x0.62	RC
M9018	SP50	1200	7.5	Ni-Cd	3.35x2.01x0.68	RC
M9018H	SP50	2000	7.5	Ni-MH	3.35x2.01x0.68	RC
M9027	Radius P10/P50 Plus/SP10/SP50/HT10 (white)	600	10.8	Ni-Cd	3.37x1.99x0.71	RC
M9027-H	Radius P10/P50 Plus/SP10/SP50/HT10 (white)	1000	10.8	Ni-MH	3.37x1.99x0.71	RC
M9037	iDEN R750	1500	4.8	Ni-MH	5.45x2.21x0.86	RC
M9044	Radius P10/P50 Plus/SP10/SP50/HT10 (white)	600	7.5	Ni-Cd	2.25x1.99x0.71	RC
M9044ALK	Radius P10/P50 Plus/SP10/SP50/HT10 (white)	1000	9.0	Alkaline	2.25x1.99x0.71	--
M9044-H	Radius P10/P50 Plus/SP10/SP50/HT10 (white)	1000	7.5	Ni-MH	2.25x1.99x0.71	RC
M9049	Radius P1225	1200	7.5	Ni-Cd	5.53x2.24x0.83	RC, E
M9049-HX	Radius P1225	2000	7.5	Ni-MH	5.53x2.24x0.83	RC, E
M9050	Radius P1225	1200	7.5	Ni-Cd	5.53x2.24x0.83	RC, **FM**
M9360	Radius GP350	1200	7.5	Ni-Cd	5.38x1.56x0.44	RC
M9360HX	Radius GP350	1800	7.5	Ni-MH	5.38x1.56x0.44	RC
M9361	Radius GP350	1000	7.5	Ni-Cd	5.38x1.56x0.44	RC, **FM**
M9628	Radius GP300/LTS2000	1200	7.5	Ni-Cd	5.50x2.30x0.66	RC,E
M9628H	Radius GP300/LTS2000	1300	7.5	Ni-MH	5.50x2.30x0.66	RC,E
M9628HX	Radius GP300/LTS2000	1800	7.5	Ni-MH	5.50x2.30x0.66	RC,E
M9701	Radius GP300/LTS2000	1200	7.5	Ni-Cd	5.50x2.30x0.66	RC, **FM**
M9998	MX300	1400	7.5	Ni-Cd	2.41x2.75x1.44	RC
RITRON						
MBP-5N	Jobcom VHF RT-15E, RT-15H	700	7.5	Ni-Cd	2.07x2.68x0.60	SC
MBP-6N	RT151 "C", RT450, Jobcom	700	7.5	Ni-Cd	3.32x1.97x0.56	SC
MBP-7N	RT152, RT450B, RT154	700	8.8	Ni-Cd	3.87x1.97x0.56	SC
MBP-8N	RT153, RT 125, RT50	630	10.0	Ni-Cd	4.42x1.97x0.56	SC
MBPJS-6N	Jobcom JMX Series	700	7.5	Ni-Cd	3.83x1.77x0.60	RC
MBPX-8N	Patriot	800	10.0	Ni-Cd	1.94x2.22x1.07	SC
TAIT						
MTOPB100	Orca Elan, Orca Excel	1100	7.5	Ni-Cd	4.45x2.34x0.77	RC
MTOPB100H	Orca Elan, Orca Excel	1450	7.5	Ni-MH	4.45x2.34x0.77	RC
UNIDEN-"FORCE, BEARCAT"						
M294	Uniden SPH/SPU21 Series	800	7.5	Ni-Cd	1.86x1.98x1.07	RC
M50XL	Uniden Bearcat Scanner	950	7.5	Ni-Cd	1.90x2.22x1.16	SC
MAPX1120	Uniden SPH51/SPU51	1200	7.5	Ni-Cd	3.42x1.98x0.70	RC
MSP1100	SP1100	1200	7.5	Ni-Cd	3.05x2.39x1.24	RC
VERTEX STANDARD						
MBP11	Standard BP11, CNB2 (brown), Standard 734, 734L,735,834,834L,835,934,935, HX300,HX310	600	11.75	Ni-Cd	3.98x2.51x0.98	RC,E
MCNB242	Standard HX240/Monarch	600	12.5	Ni-Cd	3.60x2.20x1.33	RC,E
MFNB-11	FT23R/FT73R/FTC7005	700	12.5	Ni-Cd	4.55x2.17x1.27	RC
MFNB12	FT23R,FT73R,FTC70005, FTH2003/2005(dg)/2008	600	12.5	Ni-Cd	3.30x2.17x1.28	DC,E
MFNB14	FT23R,FT73R,FTC70005, FTH2003/2005(dg)/2008	1200	7.5	Ni-Cd	2.60x2.17x1.28	DC
MFNB17	FT23R,FT73R,FTH2003/2005/2008,FTH7005,7008	600	7.5	Ni-Cd	2.00x2.00x1.25	DC,E
MFNB-29	VX-510	1700	7.5	Ni-Cd	2.66x2.30x1.55	RC
MFNB-29H	VX-510	2700	7.5	Ni-MH	3.32x2.30x1.55	RC
MFNB-29HX	VX-510	4000	7.5	NI-MH	3.32x2.30x1.55	RC
MFNB-29X	VX-510	2000	7.5	Ni-Cd	3.32x2.30x1.55	RC
MFNB-47	VX-10	1200	7.5	Ni-Cd	3.88x2.24x0.87	RC
MFNB-47H	VX-10	2000	7.5	Ni-MH	3.88x2.24x0.87	RC
MFNB-57	VX-400, VX-210	1100	7.5	Ni-Cd	3.74x2.28x0.65	RC
MFNB-57H	VX-400, VX-210	1600	7.5	Ni-MH	3.74x2.28x0.65	RC
MFNB-62LI	VX-800	1800	7.5	Li-Ion	3.74x2.28x0.65	RC
MFNB-64	VX-400, VX-210	700	7.5	Ni-Cd	3.74x2.28x0.65	RC
MFNB-67LI	VX-130/160/180/210/400/410/420	1800	7.5	Li-Ion	3.74x2.28x0.65	RC
MFNB-68LI	VX-600, VX-900	1800	7.5	Li-Ion	4.35x2.32x0.82	RC
MFNB-69LI	VX-600, VX-900	3000	7.5	Li-Ion	4.35x2.32x0.82	RC

Notes: RC: Rapid Charge, SC: Standard Charge, DC: Dual Charge, E: Battery Eliminator, FM: Factory Mutual Approved for Intrinsically Safe or Non-Incendive Use.

Multiplier Part #	Radio Model	Capacity (mAh)	Volts	Cell Type	Dimensions (Inches HxWxD)	Notes
FLASHLIGHT REPLACEMENT BATTERIES (STREAMLIGHT)						
MSL 20	SL-20X	2200	6.25	Ni-Cd	7.13x1.24	
MSL 35	SL-35X	4500	6.25	Ni-Cd	11.63x1.24	
MSL15	SL-15X	1100	6.25	Ni-Cd	5.78x1.03	
MSL-20XP	SL-15X, SL-20XP	1800	6.0	Ni-Cd	8.25x0.87	
MSL-3XP	Stinger, XT, XP, PolyStinger	1800	3.6	Ni-Cd	5.00x0.87	
MSL-5ST	UltraStinger, SuperStinger	1800	6.0	Ni-Cd	8.31x0.87	
LEAD ACID BATTERIES						
M5001	(Panasonic Style)	2300	12.0	Pb	7.19x2.42x.094	
TRANSPORTABLE PHONE KITS, GPS (LEAD ACID)						
MTB23LAK	(Universal)	2300	12.0	Pb	7.04x2.53x1.31	

Notes: RC: Rapid Charge, SC: Standard Charge, DC: Dual Charge, E: Battery Eliminator,
FM: Factory Mutual Approved for Intrinsically Safe or Non-Incendive Use.